



POWERFUL.

THERMAL MANAGEMENT.

Thermal Management solutions from STEGO protect sensitive electronic components worldwide against heat, cold and humidity. Take a look at our product range inside.



EFFECTIVE ELECTRONICS PROTECTION

A diversity of conditions such as the change from day to night, or particularly warm or cold regions, make climatisation an ever-increasing and challenging task. To meet this challenge, STEGO offers everything that is needed to protect sensitive components from corrosion and malfunction.

You'd like to know more about our product portfolio and accessories?

Besides detailed information about our products, on our homepage **www.stego-group.com** we provide calculation tools to determine required heating and cooling performance. You will also find the latest news and further information about STEGO.

We appreciate your interest!

SIMPLY INNOVATIVE. BETTER FOR SURE.

With the experience of 40 years, we have developed into a leading provider in the field of climatisation of enclosures and switch cabinets. STEGO solutions are used where operational safety and reliability is the ultimate objective. User-friendly and well-engineered solutions, developed in long practice, ensure the safe operation of many different installation types.

In order to meet these ambitious tasks, we systematically combine innovation and design in view of the applications. The result are products - outstanding in design and usability - created and developed in Schwäbisch Hall, Germany. STEGO is DIN EN ISO 9001:2015 and 14001:2015 certified and has introduced the Six Sigma method to improve quality management. Furthermore STEGO meets the requirements of OHSAS 18001 health and safety management.



HEATING

Protection against frost and condensation

Optimised temperatures are of utmost importance in switch cabinets: STEGO heaters and fan heaters prevent dangerously low temperatures and ensure equal distribution of warm air.

HEATERS

- PTC or resistive element
- 5 to 150 W
- AC/DC 120 240 V
- DC 24 and 48 V

FAN HEATERS

100 to 1200 WAC 120 and 230 VDC 24 to 56 V

• PTC or resistive element

Heaters

RCE 016 R 5 W, 9 W 8 W

RC 016 8 W - 13 W **CSK 060** 10 W - 30 W







Fan Heaters

CS 028 / CSL 028

150 W - 400 W



CSF 028 250 W - 400 W



- FILTER FANS
 Up to 727 m³/h
- AC 120 and 230 V
- DC 24 and 48 V
- Other voltages on request
- Standard enclosure cut-out sizes
- Filter Fan Plus: New air-flap technology

Filter Fan Plus

FPI 018 / FPO 018 up to 24 m³/h (92 x 92 mm)

FPI 018 / FPO 018 n) up to 97 m³/h (124 x 124 mm)



Mechanical Thermostats



REGULATING / MONITORING

Constant monitoring

COOLING

by circulating air.

Protection against overheating

To protect installations from excessively high tem-

peratures STEGO filter fans ensure efficient cooling

STEGO's temperature and humidity control systems perfect operating conditions for electric and electronic installations and therefore safeguard their performance.

REGULATORS

- Thermostats (adjustable and pre-set temperatures)
- Hygrostats and hygrotherms
- AC and DC versions

SENSOR

- DC 24 V
- Analog interface
- Digital IO-Link interface

KTO 111 / KTS 111

(NC / NO)



STO 011 / STS 011



FTO 011 / FTS 011

(NC / NO)



LIGHTING

Ideal lighting conditions

Our lighting solutions ensure that maintenance on electronic installations can be carried out night and day.

Digital 10-Lilik liliterrace

LAMPS

- LED or energy saving lamps
- On/Off switch or movement sensor
- Different mounting possibilities
- Lamps with/without socket

LED Lamps Varioline

LED 121 (500 mm) (700 mm)

Electrical Sockets

SD 035

ACCESSORIES

- Country-specific sockets
- Pressure compensation devices
- More supplementary products

ACCESSORIES

Complementary electronics protection

Accessory products from STEGO expand the climatisation portfolio appropriately and offer more specific solutions for individual needs.











CS 060



CSF 060

HGL 046 250 W - 400 W



HV 031 / HVL 031 100 W - 400 W





HVI 030 500 W - 700 W



DCR 030 / DCR 130



FPI 018 / FPO 018 up to 263 m³/h (176 x 176 mm)



FPI 018 / FPO 018 up to 536 m³/h (223 x 223 mm)



FPI 018 / FPO 018 up to 1010 m³/h (291 x 291 mm)



Hose-Proof Hood



FFH 086

Electronic Thermostats





ZR 011

(NC / NO)

FZK 011 (Change-over)



ETR 011 (Change-over)



ET 011 DC 24 V (Change-over)



DCT 010 DC 20 - 56 V



Mechanical Hygrostat MFR 012 (Change-over)



LED Lamps

LED 021 (400 mm)

LED 022 (600 mm)



LED 025





Pressure Compensation Devices

DA 084 IP55





DA 284 (Plastic) IP66 / IP67



IP66

DA 284 (Stainless steel)



Ventilation Cable Gland

DAK 284 IP66 / IP67



Drainage Device

DD 084 IP66 / IP67 / IP69K





Door Switch



DS 013

POWERFUL. THERMAL MANAGEMENT.

Further information about STEGO products can be found on our website:

www.stego-group.com











CS 032 / CSF 032 1000 W



CS 030 / CS 130 1200 W

RFP 018 300 m³/h, 500 m³/h



Built-in-fan







STEGOJET SJ 019

Electronic Hygrostats

Roof Filter Fan

EFR 012 (Change-over)



DCF 010

DC 20 - 56 V

ETF 012 with/without sensor

Hygrotherm



Switch Module DCM 010

DC 20 - 56 V

Smart Sensor



CSS 014

Slimline Lamps

SL 025



Appliance Holder

STEGOFIX PLUS SFP 095



EX PROTECTION

Specific requirements apply to the operation of electrical equipment in hazardous areas. STEGO EX heaters and thermostats meet international and European standards.



Hazardous Area Heater



CREx 020 50 W - 250 W



Hazardous Area Thermostat **REx 011**





STEGO IS REPRESENTED GLOBALLY AND PROUD TO OFFER ITS CUSTOMERS MAXIMUM AVAILABILITY, PERSONAL VISITS AND CONSULTATIONS. WITH 12 LOCATIONS AND MORE THAN 1500 SALES PARTNERS WORLDWIDE, CUSTOMER SERVICE IS OUR TOP PRIORITY. WHENEVER YOU NEED SUPPORT IN MATTERS OF ENCLOSURE CLIMATISATION AND THERMAL MANAGEMENT – YOUR STEGO CONTACT IS NOT FAR AWAY.

